




Vai alla scheda tecnica  
Go to specification sheet




- Bianco opaco 01   
White matt
  - Grigio scuro opaco 05   
Dark grey matt
  - Grigio chiaro 19   
Light grey
- Altre finiture disponibili sul sito web  
Other finishes available on the website

## Edge R 1L Spring


## Edge R 1L

0,4W / 2,1W LED 3000K / 4000K  
40lm - 218lm  
12° / 34° / 48° / ellipsoidale / asimmetrica  
max 700mA / 24V DC  
alimentatore remoto SELV non incluso  
remote SELV led driver not included

### GH1990



### GH2003



## ACCESSORI ACCESSORIES



**AC184.0700020SN-20**  
Alimentatore IP20 700mA 20W  
LED driver IP20 700mA 20W

**AC184.0024016SN-20**  
Alimentatore IP20 24V DC 16W  
LED driver IP20 24V DC 16W

**AC042.0024020SD-20**  
Alimentatore IP20 24V DC 20W DALI  
LED driver IP20 24V DC 20W DALI



**AC084.0700014FN-67**  
Alimentatore IP67 700mA 14W  
LED driver IP67 700mA 14W

**AC146.0024014FN-67**  
Alimentatore IP67 24V DC 14W  
LED driver IP67 24V DC 14W

**AC114.0024024FD-67**  
Alimentatore IP67 24V DC 24W DALI  
LED driver IP67 24V DC 24W DALI

**AC113.0024201FD-67**  
Alimentatore IP67 24V DC 201W DALI  
LED driver IP67 24V DC 201W DALI



**AC543**  
Controcassa in acciaio  
Inox rough-in housing




## Edge R 3L Spring


## Edge R 3L

1,1W / 6,3W LED 3000K / 4000K  
121lm - 654lm  
12° / 34° / 48° / ellipsoidal / asymmetrical  
max 700mA / 24V DC  
alimentatore remoto SELV non incluso  
remote SELV led driver not included

**GH1991**



**GH2004**




## Edge R 5L Spring


## Edge R 5L

2,3W / 10,5W LED 3000K / 4000K  
243lm - 1090lm  
12° / 34° / 48° / ellipsoidal / asymmetrical  
max 700mA / 24V DC  
alimentatore remoto SELV non incluso  
remote SELV led driver not included

**GH1992**



**GH2005**



### ACCESSORI ACCESSORIES



**AC184.0700020SN-20**  
Alimentatore IP20 700mA 20W  
LED driver IP20 700mA 20W

**AC184.0024016SN-20**  
Alimentatore IP20 24V DC 16W  
LED driver IP20 24V DC 16W

**AC042.0024020SD-20**  
Alimentatore IP20 24V DC 20W DALI  
LED driver IP20 24V DC 20W DALI



**AC084.0700014FN-67**  
Alimentatore IP67 700mA 14W  
LED driver IP67 700mA 14W

**AC146.0024014FN-67**  
Alimentatore IP67 24V DC 14W  
LED driver IP67 24V DC 14W

**AC114.0024024FD-67**  
Alimentatore IP67 24V DC 24W DALI  
LED driver IP67 24V DC 24W DALI

**AC113.002401FD-67**  
Alimentatore IP67 24V DC 201W DALI  
LED driver IP67 24V DC 201W DALI



**AC544**  
Controcassa in acciaio  
Inox rough-in housing

### ACCESSORI ACCESSORIES



**AC184.0700020SN-20**  
Alimentatore IP20 700mA 20W  
LED driver IP20 700mA 20W

**AC052.0024016SD-20**  
Alimentatore IP20 24V DC 16W DALI  
LED driver IP20 24V DC 16W DALI

**AC191.0024035SN-20**  
Alimentatore IP20 24V DC 35W  
LED driver IP20 24V DC 35W

**AC042.0024020SD-20**  
Alimentatore IP20 24V DC 20W DALI  
LED driver IP20 24V DC 20W DALI



**AC084.0700014FN-67**  
Alimentatore IP67 700mA 14W  
LED driver IP67 700mA 14W

**AC146.0024014FN-67**  
Alimentatore IP67 24V DC 14W  
LED driver IP67 24V DC 14W

**AC088.0024040FN-67**  
Alimentatore IP67 24V DC 40W  
LED driver IP67 24V DC 40W

**AC114.0024024FD-67**  
Alimentatore IP67 24V DC 24W DALI  
LED driver IP67 24V DC 24W DALI

**AC113.002401FD-67**  
Alimentatore IP67 24V DC 201W DALI  
LED driver IP67 24V DC 201W DALI



**AC545**  
Controcassa in acciaio  
Inox rough-in housing




## Edge R 10L Spring

## Edge R 10L


21W / 6,3W LED 3000K / 4000K  
 1964lm - 2180lm  
 12° / 34° / 48° / ellipsoidale / asimmetrica  
 max 700mA  
 alimentatore remoto SELV non incluso  
 remote SELV led driver not included

**GH1993**



21W / 6,3W LED 3000K / 4000K  
 1964lm - 2180lm  
 12° / 34° / 48° / ellipsoidale / asimmetrica  
 max 700mA  
 alimentatore remoto SELV non incluso  
 remote SELV led driver not included

**GH2008**



### ACCESSORI ACCESSORIES

### ACCESSORI ACCESSORIES



**AC023.0700029SA-20**  
 Alimentatore IP20 700mA 29W  
 LED driver IP20 700mA 29W

**AC087.0700031SN-20**  
 Alimentatore IP20 24V DC 31W  
 LED driver IP20 24V DC 31W

**AC116.0700038SD-20**  
 Alimentatore IP20 24V DC 35W DALI  
 LED driver IP20 24V DC 35W DALI

**AC042.0024020SD-20**  
 Alimentatore IP20 24V DC 20W DALI  
 LED driver IP20 24V DC 20W DALI



**AC073.0700030FN-67**  
 Alimentatore IP67 700mA 30W  
 LED driver IP67 700mA 30W

**AC114.0024024FD-67**  
 Alimentatore IP67 24V DC 24W DALI  
 LED driver IP67 24V DC 24W DALI

**AC113.0024201FD-67**  
 Alimentatore IP67 24V DC 201W DALI  
 LED driver IP67 24V DC 201W DALI



**AC023.0700029SA-20**  
 Alimentatore IP20 700mA 29W  
 LED driver IP20 700mA 29W

**AC087.0700031SN-20**  
 Alimentatore IP20 24V DC 31W  
 LED driver IP20 24V DC 31W

**AC116.0700038SD-20**  
 Alimentatore IP20 24V DC 35W DALI  
 LED driver IP20 24V DC 35W DALI

**AC042.0024020SD-20**  
 Alimentatore IP20 24V DC 20W DALI  
 LED driver IP20 24V DC 20W DALI



**AC073.0700030FN-67**  
 Alimentatore IP67 700mA 30W  
 LED driver IP67 700mA 30W

**AC114.0024024FD-67**  
 Alimentatore IP67 24V DC 24W DALI  
 LED driver IP67 24V DC 24W DALI

**AC113.0024201FD-67**  
 Alimentatore IP67 24V DC 201W DALI  
 LED driver IP67 24V DC 201W DALI



**AC669**  
 Controcassa in acciaio  
 Inox rough-in housing